UNISAFE™

Inspired by safety...

PRODUCT CATALOG

Redefining Safety Standards for Modern Industries



Protection That Performs

www.unisafeservices.com

INTRODUCING YOU THE NEW

BREATHING AIRLINE BOX



MADE WITH LLDPE MATERIAL

PERSONAL PROTECTIVE EQUIPMENTS

UNISAFE™
Inspired by safety...

HEAD PROTECTION



UNISAFE AIR-X
INDUSTRIAL SAFETY HELMET

The Unisafe AIR-X Helmet is engineered for superior protection, comfort, and modern aesthetics in demanding industrial environments. Its non-metallic, Safe design with durable HDPE shell ensures reliable impact resistance. Equipped with a ratchet adjustment system, ventilated airflow slots, and a 4-point PPE headband, it provides secure fit and all-day comfort. IS 2925:1984 certified, AIR-X is ideal for industries where safety, stability, and style are equally important.

UNISAFE VICTORY
INDUSTRIAL SAFETY HELMET

The Unisafe Victory Helmet is a robust and reliable head protection solution designed for demanding industrial environments. Available in **ABS, HDPE and PPCP materials**, it offers excellent impact resistance, electrical insulation, and long-term durability. Featuring a 6-point webbing headband, adjustable ratchet fitment, nylon chinstrap, and breathable sweatband, it ensures superior comfort and secure fit. IS 2925, EN 397 certified, and suitable for multi-industry applications where safety is critical.





UNISAFE AIR-X(FR)
INDUSTRIAL SAFETY HELMET

The Unisafe AIR-X (FR) Helmet is designed for high-risk industrial environments where heat and flame protection are critical. Manufactured from flame-retardant thermoplastic, it offers excellent resistance to direct flames, radiant heat up to 250°C, and extreme temperatures. Lightweight construction, ergonomic fit, and ventilation slots ensure all-day comfort in hot conditions. Certified to IS 2925 and EN 397 standards, it is ideal for steel, foundry, and heavy-duty industrial applications.

EYE PROTECTION

UNISAFE™
Inspired by safety...



UNISAFE SE2160 SAFETY SPECTACLES

Anti-scratch, anti-fog polycarbonate lenses with wide-angle vision. Provides UV and impact protection for general industrial use. ANSI Z87.1 & EN 166 compliant.



UNISAFE SE2148 SAFETY SPECTACLES

Durable polycarbonate spectacles offering impact and dust protection. Comfortable for long wear and compatible with personal glasses. ANSI Z87.1 & EN 166 compliant.



UNISAFE SE2327 SAFETY SPECTACLES

Ergonomic, stylish safety spectacles with soft temple wraps for a secure and comfortable fit. Designed for daily industrial eye protection. ANSI Z87.1 & EN 166 compliant.



UNISAFE SE2387 SAFETY SPECTACLES

Clear anti-fog polycarbonate spectacles offering protection against dust, splashes, and impact. Flexible, comfortable design and compatible with personal glasses. EN 166 compliant.



UNISAFE SE1116 CHEMICAL SPLASH GOGGLES

Indirect-vented goggles with soft, flexible frame and polycarbonate lens for protection against chemical splashes, dust, and impact. Lightweight design fits comfortably over personal spectacles. ANSI Z87.1 & EN 166 compliant.



UNISAFE SE1120 IMPACT GOGGLES

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against dust and impact.



UNISAFE SE1128 WIDE VISION GOGGLES

Indirect-vented goggles with wide-vision polycarbonate lens for splash, dust, and impact protection. Soft vinyl frame ensures comfort and fits over spectacles. ANSI Z87.1 & EN 166 compliant.



UNISAFE SE1140 WELDING GOGGLES

Indirect-vented welding goggles with flip-front polycarbonate green shade lens for eye protection during welding operations. Soft vinyl frame ensures secure, comfortable fit. ANSI Z87.1 & EN 166 compliant.



UNISAFE SE1762 FACE SHIELD

ABS brow-guard face shield with clear visor for full-face protection. Protects against splashes, dust, heat, and impact, with added chin guard for safety. ANSI Z87+, EN 166 & AS/NZS 1337 compliant.

EYE PROTECTION



UNISAFE UNIVERSAL FACE SHIELD

Unisafe Universal Face Shield Carrier For Safety Helmet. Has High Impact Resistance And A Universal Fit Design. It Can Fit Any Make Of Helmet.It Comes With Polycarbonate(Pc) Visor And Tension-Spring Type Adjustment With A Plastic Cover. It Protects Your Face From Various Hazards & Can Be Used In Different Work Environments.

HEARING PROTECTION



UNISAFE SE1310 EAR MUFF

Lightweight ear muff with soft foam-filled cushions and wide padded headband for a secure, comfortable seal. Provides effective protection against harmful noise levels. SNR 26.9 dB, NRR 28 dB compliant.



UNISAFE SAFETY HELMET WITH FACE-SHIELD & EAR MUFF

Unisafe Victory HDPE safety helmet with face-shield slot, UV-stabilized virgin polymer shell, ratchet suspension (52–63 cm), superior comfort, and no metal parts. BIS IS 2925 & EN 397 certified, offering impact, penetration, flame, electrical, and temperature resistance for demanding industrial use.



UNISAFE SE 1373 FOAM EAR PLUG

Unisafe SE 1373 Foam Ear Plug is made from soft polyurethane foam that provides a comfortable, close-fitting seal against harmful noise.

Corded design with one-size-fits-all fit, offering reliable hearing protection with 37 dB protection level and 32 dB NRR.

HAND PROTECTION



CRYOGENIC SAFETY GLOVES (CRYO-GLOVES®)

High-performance cryogenic gloves designed for ultra-cold environments up to -196°C. Multi-layer construction provides excellent thermal protection, flexibility, and dexterity, with moisture-wicking inner lining for extended comfort. Ideal for handling dry ice, cryogenic liquids, and ultra-low temperature applications.



BODY PROTECTION



DUPONT™ TYVEK® 400

DuPont™ Tyvek® 400 coverall with comfort-fit design, respirator-fit hood, storm flap, and elastic waist, wrists, and ankles. Lightweight white coverall with serged seams and pin-lock zipper for reliable protection and ease of movement.



DUPONT™ TYVEK® 400 SFR

DuPont™ Tyvek® 400 SFR is a lightweight, disposable secondary flame-resistant garment worn over primary FR clothing, offering superior particle barrier protection and enhanced durability without igniting in flash fire events. Ideal for oil & gas, utilities, maintenance, and industrial operations where particle hazards and flash fire risks coexist, with added comfort and recyclability.



DUPONT™ TYVEK® 500 LABO

DuPont™ Tyvek® 500 Labo is a Category III chemical protective hooded coverall offering Type 5 & 6 protection, antistatic properties, and protection against radioactive contamination. Designed with internal seams, elasticated fit, Tyvek® zipper, and attached slip-retardant overshoes, it ensures comfort, reduced contamination risk, and secure protection in controlled environments.



DUPONT™ TYCHEM® 2000 PROTECTIVE SUIT

Lightweight, limited-use chemical protective suit offering Type 3/4/5/6 barrier protection. Features stitched and taped seams with self-adhesive zipper flap for enhanced safety against chemical splashes and particulate hazards. Ideal for industrial and hazardous work environments.



DUPONT™ TYCHEM® 2000 SFR

DuPont™ Tychem® 2000 SFR is a lightweight secondary flame-resistant chemical garment designed to be worn over primary FR clothing, offering protection against chemical splash while minimizing burn injury in flash fire scenarios. Engineered to shrink away from flame without burning, it delivers superior thermal performance and reliable chemical barrier protection for refineries, petrochemical plants, labs, and hazardous maintenance operations.



DUPONT™ TYCHEM® 4000 PROTECTIVE SUIT

DuPont™ Tychem® 4000 is a rugged, abrasion-resistant chemical protective garment offering at least 30 minutes of protection against over 124 chemicals, ideal for hazardous and emergency environments. Featuring a Saranex™ 23-P laminated Tyvek® fabric, sealed storm flap zipper, elasticated hood, wrists, and ankles, it ensures secure fit and reduced particle and chemical intrusion.

BODY PROTECTION



DUPONT™ TYCHEM® 6000 PROTECTIVE SUIT

High-barrier chemical protective coverall with taped seams and double storm flap for enhanced protection. Designed with respirator-fit hood, elastic wrists, and attached socks for secure coverage. Ideal for hazardous chemical handling and industrial safety applications.



DUPONT™ TYCHEM® 6000 SFR

DuPont™ Tychem® 6000 SFR is a lightweight, durable garment providing broad chemical splash protection and secondary flame resistance when worn over primary FR clothing, offering escape-time protection in flash fire scenarios. Ideal for oil & gas, chemical plants, labs, and hazmat response, it delivers proven permeation resistance against 250+ chemicals with secure, worker-focused design features.



DUPONT™ TYCHEM® 10000 COVERALL

DuPont™ Tychem® 10000 coverall offers the highest level of protection against toxic and corrosive chemicals with a durable, puncture- and tear-resistant fabric. Featuring taped seams, respirator-fit hood, double storm flap, and attached socks with boot flaps for secure, full-body protection in hazardous environments.



DUPONT™ TYCHEM® 10000 PROTECTIVE SUIT

High-barrier chemical protective coverall with taped seams and double storm flap for maximum protection. Designed with respirator-fit hood, elastic wrists, attached socks, and outer boot flaps. Ideal for highly hazardous chemical and industrial environments.



FIREFIGHTING SUIT – NOMEX

Professional firefighting suit made from NOMEX® material, offering high resistance to heat and flame. Certified to EN 469 standards, designed for maximum protection, durability, and visibility in extreme firefighting conditions.



ALUMINISED FIRE PROXIMITY SUIT

High-performance aluminised proximity suit designed for extreme radiant heat protection (1000–1500°C). Multi-layer construction with EN ISO 11612 certified outer shell ensures superior heat reflection and flame resistance. Ideal for foundries, steel plants, and metallurgical operations.

EMERGENCY LEAK ARREST KIT




UNISAFE EMERGENCY CHLORINE / AMMONIA LEAK ARREST KIT - TYPE A

A pre-assembled Emergency Leak Arrest Kit designed for quick containment and temporary sealing of leaks in Ammonia/Chlorine tonner cylinders during emergency situations. Provides secure mounting, controlled sealing, and stable positioning to minimize gas escape and protect personnel, equipment, and the environment.



UNISAFE EMERGENCY CHLORINE / METHYL CHLORIDE LEAK ARREST KIT - TYPE B

Unisafe Emergency Gas Leak Arrest Kit is a compact, pre-assembled system designed for rapid response to hazardous gas leaks.
Available in Methyl Chloride and Chlorine variants, each kit is specially engineered to safely control leaks from tonners, valves, fusible plugs, and sidewalls.



EMERGENCY UNISEAL TANKER TOURNIQUET

Emergency Uniseal Tanker Tourniquet provides rapid mechanical sealing to stop tanker leaks within minutes, minimizing risk to people and the environment. Available in magnetic and non-magnetic variants, it delivers reliable sealing on curved or damaged tanker surfaces for emergency response.

SUPPLIED AIRLINE



BREATHING AIRLINE FILTER

Breathing Airline Filter features multi-stage filtration to remove oil, moisture, dust, and odour, ensuring clean and safe breathing air. Compact and efficient, it is ideal for industrial use and tested as per IS 10245 Part 3 / EN 12021 standards.



MINI AIR FLOW REGULATOR

Breathing Airflow Regulator ensures safe, consistent air supply with auto-test and flow-control features for professional respiratory systems. Lightweight, adjustable, and cost-effective, it is tested as per IS 10245 Part 3 / EN 14594 standards.

SIMPLIFYING YOUR (SAR) EQUIPMENT SETUP

UNISAFE™
Inspired by safety...

1 CONNECT TO ANY HIGH PRESSURE AIR SOURCE



3000-01



AirSafe Breathing Airline Filter

2 CHOOSE AN BOX



FRP Box for Airline Set

OR



LLDPE Box for Airline Set

OR



Unisafe Utility Box

3 CHOOSE AN APPROPRIATE HOSE



EN-Cretified (non kinking hose)



Airline Hose (PVC)

4 CHOOSE AN AIR CONTROL DEVICE



PAS-Xplore



Mini Airflow Regulator

5 CHOOSE AN HOOD ASSEMBLY



X-plore 8000



X-plore 6300



6000AL

This step-by-step guide simplifies the process of assembling your supplied airline equipment for high-risk environments. Begin by selecting a compatible airhood or respirator for personal protection. Pair it with the appropriate air control device to regulate airflow and connect it to a durable, high-pressure hose. Finally, ensure a steady air supply by linking the setup to a high-pressure air source or compressor. Designed to offer seamless integration, this system ensures maximum safety, efficiency, and comfort for users in demanding industrial applications.

EMERGENCY SPILL KIT

Available in multiple capacities of 25L, 50L, 100L, and 150L to suit different spill response requirements.

OIL ONLY SPILL KIT





Designed for effective cleanup of oil, fuel, diesel, petrol, solvents, and other petroleum-based liquids. Oil-selective absorbents absorb oil while repelling water, making them ideal for workshops, warehouses, factories, and loading docks.

UNIVERSAL SPILL KIT





Specially designed for safe cleanup of hazardous chemicals such as acids, bases, and solvents. Non-flammable, chemically inert polypropylene absorbents ensure safe handling in laboratories, chemical plants, and hazardous storage areas.

CHEMICAL SPILL KIT





Multi-purpose spill kit designed to absorb water, oils, coolants, and general workplace fluids. UV-resistant polypropylene absorbents provide quick and effective spill control in workshops, warehouses, and industrial facilities.

SPARES OF EMERGENCY SPILL KIT

OIL ONLY SPILL KIT



OIL ABSORBENT PILLOW

OIL ABSORBENT BOOM

OIL ABSORBENT PADS

UNIVERSAL SPILL KIT



UNIVERSAL PILLOW

UNIVERSAL ABSORBENT SOCKS

UNIVERSAL ABSORBENT PADS

CHEMICAL SPILL KIT




HAZMAT PILLOW

HAZMAT SOCKS

HAZMAT ABSORBENT PADS


EMERGENCY
SAFETY SHOWER
& EYE WASH

Safety Shower & Eye Wash provides immediate emergency decontamination for body and eye exposure to hazardous substances.Designed for quick activation and uniform water flow to ensure effective flushing during emergencies.
Manufactured with durable, corrosion-resistant materials for long-term industrial use.
Also available in Stainless Steel (SS) for harsh, chemical-intensive environments.



- US-GI-06
- US-GI-05
- US-GI-02
- US-GI-01

- US-SS-06
- US-SS-05
- US-SS-02
- US-SS-01






CABINET TYPE
SAFETY SHOWER

Unisafe - Emergency Combination Safety Shower and EYE Wash Combination Unit with FRP/SS Cabinet & the Entrance provided with a curtain of transparent PVC Strips.



SPARES OF SAFETY SHOWER & EYE WASH



ABSDSH02 – ABS
DRENCH SHOWER HEAD



PR02 – PULL ROD



SSSV01 – 1" SS
SHOWER VALVE
WITH CONNECTOR



ABSAU02 – ABS AUTOMIZER
UNIT WITH NIPPLE



SSEW01 -1/2" EYE
WASH VALVE WITH
SS PUSHPLATE



ABSRB02 – RECEPTOR
BOWL



SSPR01 – SS
PULL ROD



SSDSH01 – SS DRENCH
SHOWER HEAD



SSSV01 – 1" SS
SHOWER VALVE
WITH CONNECTOR



SSAU01 – SS AUTOMIZER
UNIT WITH NIPPLE



BREW02 – 1/2"
BRASS EYE WASH
VALVE WITH PUSH
PLATE



SSRB01 – RECEPTOR
BOWL



INTRINSICALLY SAFE TORCHES

UNISAFE™
Inspired by safety...

Koehler BrightStar



RAZOR 60160

The Razor is an intrinsically safe, ATEX/IECEx Zone 0 certified LED flashlight delivering up to 325 lumens with dual light modes and long runtime. Rugged, waterproof, and glove-friendly, it features magnetic hands-free mounting and reliable battery-powered performance for hazardous environments.



RAZOR 60170

The Razor FSL is a compact, intrinsically safe Class I Division 1 LED flashlight with a dual-beam design for forward and downward illumination. Featuring multiple lighting modes, magnetic hands-free mounting, and a rugged drop-tested build, it ensures safe and reliable use in hazardous environments.



RAPTOR

The Raptor Flood is a rugged, rechargeable lantern delivering up to 1,500 lumens of wide-angle floodlighting for firefighting and emergency response. Lightweight, waterproof (IPX7), and intrinsically safe, it offers long beam reach and extended runtime for demanding operations.



BFL AREA LIGHT

The BFL Area Light is a slim, rechargeable work light delivering up to 3,000 lumens with adjustable brightness and color temperature. Rugged and weather-resistant, it features flexible hands-free mounting, wide-area illumination, and long runtime for demanding worksites.



RESPONDER PRO

The Bright Star Responder Pro Right Angle LED Flashlight is an intrinsically safe, rechargeable torch delivering up to 250 lumens with long beam reach and dual light modes. Certified for hazardous locations, lightweight, and mountable in any position, it ensures reliable performance for emergency and industrial use.



VISION LED RECHARGEABLE HEADLAMP

The Vision LED Rechargeable Headlamp offers versatile hands-free lighting with multiple modes for work, outdoor, and emergency use. Lightweight, USB-rechargeable, and water-resistant, it ensures comfortable, reliable performance in demanding conditions.



VISION LED HEADLAMP

The Vision LED Headlamp is a compact, intrinsically safe headlamp offering four lighting modes with spot and flood beam options for hands-free illumination. Delivering up to 185 lumens, it features a lightweight, water-resistant design with reliable battery-powered performance for industrial and outdoor use.

CONFINED SPACE ENTRY

UNISAFE™
Inspired by safety...

ALLEGRO INDUSTRIES

NON-FLAME PROOF BLOWER



9533 8″ COMPAXIAL PLASTIC BLOWER

The 8″ Axial AC Plastic Blower with Compact Canister & Ducting is a lightweight, portable ventilation solution with quick-connect, tool-free canister attachment. Featuring built-in handles, easy on/off control, and ducting stored inside the canister, it ensures efficient extraction or ventilation on site.



9543 12″ AXIAL PLASTIC BLOWER

The 12″ Axial AC Plastic Blower delivers high airflow in a compact, quiet design for efficient ventilation. Made from lightweight, corrosion- and chemical-resistant polyethylene with a built-in handle, it is CSA and CE certified for safe industrial use.

FLAME PROOF BLOWERS



9538 8″ COMPAXIAL BLOWER

The 8″ Axial Explosion-Proof (EX) Plastic Blower with Compact Canister & Ducting is a lightweight, super-quiet ventilation system designed for hazardous locations. Featuring an explosion-proof motor, corrosion-resistant housing, and tool-free quick-connect canister, it meets Class I & II, Div. 1 & 2 hazardous area requirements.



9503-E VENTILATION BLOWER

This explosion-proof blower features a UL-listed, CSA-certified single-phase motor with a NEMA-rated 115V plug for hazardous locations. Its non-sparking ABS housing and compact design deliver safe, efficient airflow while meeting Class I & II, Div. 1 & 2 requirements.



9548-E 12″ PLASTIC AXIAL BLOWER

9548-E 12″ Explosion-Proof Plastic Axial Blower features a lightweight polyethylene housing that is corrosion, UV, and chemical resistant for harsh environments. Super-quiet operation with a safety-orange body, molded carry handle, and durable steel powder-coated grill.



9515-E16″ AXIAL AC METAL BLOWER

Designed for very large confined spaces, the 16″ Standard Axial Metal Blower delivers powerful air movement with a 1/2 HP motor and six-blade impeller. Rugged epoxy-coated steel construction with stackable design, integrated handles, rubber feet, and adaptor compatibility for 8″ ducting.

AIR DRIVEN BLOWER



9508 CENTRIFUGAL AIR-DRIVEN BLOWER

Featuring an ATEX-certified, non-electrical air motor, it minimizes ignition risk while delivering reliable ventilation or fume extraction through dual 8″ ports. A built-in filter and lubricator, along with a heavy-duty metal base and integrated handles, ensure durability, stability, and easy portability.

BATTERY DRIVEN BLOWER



9546 12″ AXIAL BLOWER

High-output 12″ axial DC blower with a 1/4 HP motor and efficient three-blade impeller in a rugged, lightweight polyethylene housing. Runs on standard car or truck batteries and comes as a complete system with alligator clips, canister, and 15′ or 25′ ducting.



8″ AXIAL AC METAL COMPAXIAL BLOWER

This lightweight and compact COM-PAX-IAL blower is an all-in-one ventilation system sold with quick-connect 15′ or 25′ ducting canister which attaches quickly without tools with Cam-lock latches.



12″ AXIAL AC & DC PLASTIC BLOWER SYSTEM

Everything needed for your confined space site is in this Complete Ventilation System. It includes a 12″ lightweight plastic blower of your choice, 6′ and 15′ of ducting with storage bag, and a 12″ Manhole Ventilation Passthru (MVP).

VENTURI



9518-03 METAL VENTURI

Air- or steam-powered Venturi blower uses high-velocity compressed air to generate powerful airflow with no moving parts. Lightweight cast aluminum design with multiple inlets, static grounding, and galvanized steel diffuser for safe, portable use up to 140 psi.



9518-13 PLASTIC VENTURI

Powered by compressed air or saturated steam, the Plastic Venturi Blower generates high airflow through a venturi pulling action with no moving parts. Lightweight, portable design with multiple inlets, static grounding, and safe operation up to 140 psi for hazardous environments.

PETROL-DRIVEN BLOWER



9505-50 CENTRIFUGAL GAS BLOWER

This gas-powered centrifugal blower with a reliable 3.5 HP Honda engine delivers high airflow for remote, no-power locations. Durable polyethylene housing, steel guards, stable metal base, and 8″ ports ensure safe, efficient ventilation with easy transport.

MISCELLANEOUS ITEMS

UNISAFE™
Inspired by safety...




UTILITY BOX

Low-profile, wall-mounted SCBA box designed for a single unit, offering excellent protection from dust, moisture, and harsh plant environments. Made from lightweight yet rugged LLDPE with viewing windows, secure internal brackets, multiple color options, and recyclable construction.



RESQPACK

Heavy-duty LLDPE SCBA carrying case designed to protect equipment from dust, water, impact, and harsh site conditions. Features a secure locking system, easy-carry handles, spacious interior, and weather-resistant construction for safe transport and storage.



WIND SOCK STAND

ILLUMINATED WIND INDICATOR STAND WITH CAGE WITH LED LIGHT 30V WITH CABLE NON FLAME / FLAME PROOF WITH WIND SOCK CLOTH IN RED / WHITE COLOUR 6 FEET
Available colour : Orange/Limegree



WIND SOCK (RED & WHITE)

Double-layered, waterproof parachute-type nylon wind sock with red & white alternate stripes, double-stitched for durability. Size: 6 ft length, 2 ft ring end dia, 12″ narrow end dia, with aluminum eyelets and twisted nylon rope for secure tying.



SILICONE COATED BLANKET

Silicon-coated fiberglass welding blanket designed for continuous high-temperature protection against sparks, spatter, and molten metal. Offers excellent chemical, abrasion, weather, and fire resistance—ideal for welding, cutting, and hot-work applications.



MEDIC 7500 SERIES

High-visibility ANSI Type III first-aid kit with patented MEDIC Disc Guide, portable, wall-mountable, and water-resistant for quick emergency response. Supplied with mounting bracket and hardware, ANSI/OSHA Z308.1-2015 compliant, color-coded contents for easy identification.




MOBILIZE POLE STRETCHER

Heavy-duty pole stretcher with aluminum-alloy poles, vinyl-coated nylon cover, and non-slip handgrips for safe, controlled patient handling. Folds lengthwise and crosswise for compact storage, supplied with 2 body straps and rugged spreader bars for support and comfort.



MOBILIZE SCOOP STRETCHER

Aluminium scoop stretcher with scissor-type closing motion allows safe patient lifting without movement, ideal for hip and spinal injuries. Features telescopic length adjustment, twin safety locks, X-ray-permissible open-centre design, compact folding, and includes 2 restraint straps.



SAFETY NET

Safety Net made of PP rope Border 12mm and inside Rope 4 mm having MESH Size of 4″ and having Blue HDPE

OUR EXPERT SAFETY SERVICES

UNISAFE™
Inspired by safety...



PESO Cylinder Refiling Facility

Authorized refilling of high-pressure breathing air cylinders (200/300 Bar) as per PESO guidelines — ensuring certified quality, safety, and reliability.



Safety Shower Maintenance

We provide complete solutions for IS:10592 & EN15154-compliant safety showers, including installation, inspection, and preventive maintenance.



Fire Extinguisher

ISI-marked fire extinguishers along with refilling, hydro testing, and maintenance services, ensuring your firefighting equipment is always ready for emergencies.



On Site Calibration

We provide professional calibration services for all types of gas detectors to ensure accurate readings, reliable performance, and compliance with safety standards.



Air Quality Check

We offer Air Quality testing as per EN 12021 / OSHA Grade D / IS 15879 standards, ensuring safe, contaminant-free air.



SCBA Service Facility

SCBA maintenance and testing facilities, both electronic and manual, ensuring equipment reliability, performance, and user safety in every condition.

VOLTSENSE



High

ACCURACY

Visual and Audible

ALARM





LONG BATTERY LIFE


UNISAFE
Inspired by safety...
+91-7069696677 / 7069699935 / 9173191372
nishi@unisafeservices.com / deshmukh@unisafeservices.com
201, Tithi Complex, 75, Sampatrao Colony, BPC Road,
Alkapuri, Vadodara - 390007 Gujarat, India
SCAN HERE